

MODEL #

XB7ZATV2812IP5MP-AI

CTAVUE®



X SERIES **NETWORK CAMERA**

ONVIF | GMS |



5MP
RESOLUTION



5MP
Resolution

2.8-12MM
Motorized Lens



IR Up to 50M



See In Color At
Night



Two-Way
Communication



Alarm/Audio
In/Out



Deterrence
Lights & Siren



Microphone
& Speaker



IP67
Water-resistant
& Dustproof



Micro SD Card
Slot up to 1TB

Discover the **XB7ZTV2812IP5MP-AI**, a high-performance security camera featuring a 5 MP resolution, an impressive 50-meter infrared (IR) range, and a motorized 2.8-12 mm lens for flexible focus and zoom adjustments. This camera excels in low-light conditions, showcasing exceptional sensitivity with a noted low-light capability of 0.002 lux. Going beyond standard features, it incorporates red and blue deterrent lights, alarm input/output, audio input/output, a built-in microphone, along with the additional advantage of 4 infrared LEDs and 4 warm lights to enhance surveillance capabilities in the dark. This security camera represents a powerful solution addressing all your security needs.





X SERIES NETWORK CAMERA

MODEL #

XB7ZATV2812IP5MP-AI

VIDEO

Image Device	1/2.7"
Effective Pixels	5MP 2880 (H) x1620 (V)
Scanning System	Progressive CMOS
Min. Illumination	Color 0.002lux @ F1.0(AGC ON) ; B/W 0 lux @ IR ON

LENS

Focal Length (Zoom Ratio)	2.8-12mm
Max. Aperture Ration	F No. 1.2
Angular Field of View	H:113(W)-35(T)° V:59(W)-20(T)° D:138(W)-41(T)°
Min. Object Distance	1.5m
Lens Type	Motorized Ø16.7

OPERATIONAL

IR LED	4
Warmlight	4
Red and Blue Light	2 (1Red & 1 Blue)
IR Viewable Length	Up to 50 m
Warmlight Viewable Length	Up to 30 m
Type of Complementary Light	Default warm light, switchable infrared light
Motion Detection	Off/On (8 Level)
Wide Dynamic Range	WDR
Digital Noise Reduction	3D DNR
Image Setting	Day & Night Mode/Full Color Mode/Schedule
White Balance	Auto/Manual
Electronic Shutter Speed	1/5 ~ 1/20000s
On-Board Storage	Micro SD slot, up to 1TB
Alarm	1 input, 1 output
Audio	Built-in microphone & Speaker; 1 input (RCA), 1 output (RCA)
Custom Voice	Yes
Hardware Reset	Yes
Smart Features	Rare Sound Detection (SD) , Perimeter Intrusion Detection (PID), Face Detection (FD), Stationary Object Detection (SOD), Crowd Density Detection (CD), Human&Vehicle Detection (PD&VD), Line Crossing Detection (LCD), Queue Length Detection (QD), Heat Map (HM), Cross Counting (CC), License Plate Detection (LPD)

NETWORK


Ethernet	RJ45(10/100BASE-T)
Video Compression Format	H.265/H.264
Resolution	Mainstream @30fps 5MP(2880x1620), 4MP(2560x1440) 3MP(2304x1296), 1080P(1920x1080), 720P(1280x720) Substream @30fps 720P(1280x720),VGA(640x480),QVGA(320x240) Mobile Stream @30fps VGA (640x480), QVGA (320x240)
Video Quality Adjustment	256Kbps ~ 8Mbps
Bitrate Control Method	CBR/VBR
IP	IPv6
Protocol	TCP/IP,HTTP,DHCP,DNS,DDNS,RTP/RTSP, SMTP,NTP,UPnP,SNMP,HTTPS,FTP
Security	IP address filter;complicated password; Authenticated username and password
Application Programming Interface	ONVIF(Profil S/G/T)
Compatible Web Browsers	IE10/11, Safari V12.1 above, Firefox V.52 above Google chrome V.57 above, Edge V.79 above

GENERAL

Operating Conditions	-40 ~ +60°C/less than ≤ 95% RH
Ingress Protection	IP67
Input Voltage/ Current	D12V/POE(IEEE802.3af)
Power Consumption	DC12V: max 8.6W; POE (48V): max 10.3W
Color/Material	White/Metal
Dimension (WXHXD)	240*86*88mm
Weight	Appr. 700g



DIMENSIONS




COMPATIBLE ACCESSORIES

JUNCTION BOX



 **B6BASE1**
JUNCTION BOX

CORNER MOUNT SOLUTION



 **COMB6**
CORNER MOUNT BRACKET

POLE MOUNT SOLUTION



 **PMB6**
POLE MOUNT BRACKET

WALL MOUNT SOLUTION

Included

DOWNLOAD THE OV CONNECT APP



SECURITY. INNOVATION. RELIABILITY.

POWERED BY G.S.D GROUP INC.

At G.S.D Group, we design and deliver innovative, reliable, and high-performance security solutions that protect people, businesses, and critical infrastructure. From intelligent surveillance and access control to enterprise software and AI-powered technologies, we provide complete security ecosystems built for today's challenges and tomorrow's opportunities.

STAY CONNECTED



 CONTACT US



 YOUTUBE



 LINKEDIN



 NEWSLETTER

COMPLIANCE



CE MARKING



FCC CERTIFICATE



RoHS COMPLIANT



NDAA COMPLIANT

CONNECTION & INTERFACES



HS CODE



UPC CODE



ONVIF COMPLIANT

DOWNLOAD OUR APP: OV CONNECT



WWW.GSDGROUPINC.COM



A CANADIAN ENTERPRISE